Docket No.: 9896-000007/US

The following listing of claims will replace all prior versions and listings of claims in

the application.

LISTING OF CLAIMS

1. (Currently amended) A multi-layer user management method for multicasting

proxy, comprising:

dividing a user management for multicasting groups into three layers: management

at an interface layer for controlling multicasting characteristics corresponding to

interfaces, management at a data link layer for controlling multicasting characteristics

corresponding to data links and management at user layer for controlling multicasting

characteristics corresponding to particular users, and at each layer, setting control

blocks that are respectively comprised of multicasting characteristic data corresponding

to said each layer;

establishing a data relationship among the three layers of control blocks; and

managing a user's joining or leaving auser of the multicasting group using the

data relationship among the three layers of control blocks.

2. (Original) The method of Claim 1, wherein said controlling multicasting

characteristics corresponding to interfaces includes: judging whether to allow

multicasting applications at an interface, judging whether to allow multicasting

applications at a user side or a network side, judging whether to allow tying multicasting

resources or multicasting groups, limiting the number of members of a multicasting

group or limiting the number of multicasting groups.

3. (Original) The method of Claim 1, wherein said controlling multicasting

characteristics corresponding to data links is limiting the number of members of a

multicasting group when employing a core edge layer network device such as an Edge

Service Router (ESR).

4. (Original) The method of Claim 1, wherein said controlling multicasting

characteristics corresponding to data links is forwarding only one multicasting packet for

all members of the same multicasting group at the same data link when forwarding data.

5. (Original) The method of Claim 1, wherein the data relationship is established

through a linking-list structure or a relational database structure.

6. (Original) The method of Claim 1, wherein the data relationship is established

through a three-dimensional linking-list data structure which links each control block

with linking-lists or arrays; the three dimensions of the three-dimensional linking-list data

structure comprise data link including interface, multicasting group and user IP.

7. (Currently amended) The method of Claim 1, wherein said managing a user of

the multicasting group is managing the user's joining or leaving the multicasting group;

<u>and</u>

said managing the user's joining or leaving athe multicasting group comprises:

Docket No.: 9896-000007/US

finding a certain interface layer control block according to data structure of an

interface of net (IFNET) having received a multicasting packet; then judging multicasting

characteristics of the multicasting group which are defined in the found interface layer

control block to determine whether to continue the successive processing; if so,

performing the next steps, otherwise ending the processing;

finding a certain data link layer control block according to the data relationship

between data link layer control blocks and said interface layer control block; then

judging multicasting characteristics corresponding to data links of the multicasting

packet to determine whether to continue the successive processing; if so, performing

the next step, otherwise ending the processing; and

finding a certain user layer control block according to a multicasting group IP and

user attributes; then adding, deleting or modifying corresponding user information in the

user layer control block.

8. (Original) The method of Claim 7, further comprising:

if no proper data link control block is found when finding a certain data link control

block, adding a new data link layer control block at the data link; and

establishing the data relationship among interface layer control blocks, user layer

control blocks and the new data link layer control block.

9. (Original) The method of Claim 1, wherein managing the users of the

multicasting groups is forwarding control, further comprising:

Application No. 10/628,878 Docket No.: 9896-000007/US

Amendment dated November 2, 2007 Reply to Office Action of August 3, 2007

making data link layer devices attend multicasting management with device cluster

control technique.

10. (Currently amended) The method of Claim 1, wherein said managing a user of

the multicasting group is performing flow charging control to the user of the multicasting

group; and

said performing flow charging control to the user of the multicasting group further

comprisinges:

recording the flow of multicasting packets having been forwarded with a device

forwarding program and charging the user who has received said multicasting packets.